


PUREITALIAN

JUMBO TCS 60

For all commercial, off the road and agricultural vehicles





Jumbo TCS 60 and TCS 60 R – agricultural plus off the road and truck tyre changer ... with an even wider application range.

It can change tyres of up to 2.9 meters height and up to 2.8 tonnes; It can also be applied to light trucks, heavy duty trucks, agricultural vehicles, skidder and trailers, wheels. The working tools are controlled by a hydraulic system and the 6 jaws chuck (patented) is driven by an electric motor. Available in the wired or radio controlled variants.

Benefits:

- Movement controlled by hydraulic system
- Over 4 tonnes of bead breaker force
- Wide working range with a max wheel width capacity of 1490 mm
- From side to side with fast function for tool set-up
- Clamping capacity up to 60" with extension (accessories)
- Accurate and safe 6 jaws clamping system (patented)
- Adjustable hydraulic pressure for light wheels
- Chuck with bi-directional rotation function
- Double speed rotation chuck allows safe operation with various wheel sizes.
- High performing pivoting tool with bead breaker disc and mounting/demounting hook
- Quick tool set-up fully controlled through the remote unit with tangency positioning (patented)
- Special wheels accessories available
- Operated by wireless mobile remote control unit (optional)

6 Jaw Chuck



Tool positioning



Technical information	
Rim size	14" - 60" inch
Min clamping diameter	115 mm
Max Tyre diameter	2900 mm
Max tyre width	1490 mm
Max bead breaker force	4.1 ton
Power supply	400V
Dimensions (W*H*L)	2800*2080*2700 mm
Weight	1750 kg



2 Year warranty
Spares available
Training available
Operational videos

SB Agency

Unit 10, Keymax Industrial Park
1006 Ergon street
Lyttelton Manor
012 664 6654