

Specialist Wheel & Tyre Service Equipment



Tyre Diagnostics | Tyre Changers | Wheel Balancers | Wheel Aligners



WHEEL BALANCERS

SBM V85A-60A-60



SBM V85/60A/60 entry level electronic wheel balancers. Thanks to the new extreme versatility and compact size design, the electronic wheel balancers are suitable for working in narrowest environments and with all types of car, motorcycle and lightweight transportation wheels.

- New Ergonomic wheel cover shape
- New weight holder
- Up to 820 mm diameter
- Max wheel weight 65 kg
- Small footprint
- Internal electronic measuring arm for rim distance & diameter
- Optional, external electronic measuring arm for rim width
- Many holders for weight and tools
- Monitor TFT 19" (SMB V85A)



Technical specifications	SBM 60/60 A	SBM V85 A
Power supply	230V 1ph 50/60 Hz	230V 1ph 50/60 Hz
Balancing speed (50-60Hz)	208 rpm (50Hz) / 250 (60 Hz)	208 rpm (50Hz) / 250 (60 Hz)
Max. Wheel Weight	65 Kg	65 Kg
Max. Wheel Diameter	820 mm	820 mm
Max. Wheel Width	420 mm	420 mm
Rim diameter	8" - 26,5" I / 10" - 24" Automatic	6" - 40" I / 10" - 24" Automatic
Rim Width	2" - 20" I / 1 - 20" Automatic	1" - 24" I / 1 - 20" Automatic
Accuracy	1g / 0.05oz	1g / 0.05oz
Max. dimensions (WxDxH)	1100 x 1270 x 1280	1100 x 1270 x 1370

SCOPE OF DELIVERY

- ▶ 19" TFT-Monitor / Double Digital LED Display
- ▶ Wheel protection
- ▶ Mechanic centering flange
- ▶ Cones:
3 cones for mechanical locking system
- ▶ Weight plier
- ▶ Compass
- ▶ Calibration weight