

SBM V660 L



5.305,00€

SKU: 1694302551 | **Categories:** [SBM 135 L / 165 L / V660 L](#), [SBM V660 L](#), [SICAM](#), [WHEEL BALANCERS](#)

PRODUCT DESCRIPTION

Electronic wheel balancer for passenger car with LED-Display with internal measuring arm, internal light, 6 'o clock laser line

SBM V660 L is aimed at shops with medium-high volumes of wheel services and can operate on all types of cars, motorcycles, and light truck wheels.

The new "L" series is standard equipped with:

- Laser line at 6 'o clock
- Fast cycle time (1,5s faster than current SBM V660 A)
- Internal LED light
- New Video Graphic interface
- New internal data Arm (40mm smaller)
- New ergonomic brake pedal

This wheel balancer can be updgaded with sonar data arm. This unique device includes auto-width recognition together with the spokes counting. Extremely precise and fast.

SCOPE OF DELIVERY



CLAMP FOR COUNTER-WEIGHTS

35,00€

P/N: 1695606500



60 GR ZN COUNTER WEIGHT

2,00€

P/N: 1695654377



WIDTH GAUGE

19,00€

P/N: 1695602700



RUBBER CUP

13,00€

P/N: 1695624800



WEIGHT REMOVAL BLADE

14,00€

P/N: 1695656585



CONICAL QUICK-RELEASE COUPLING

687,00€

P/N: 1695602400

ACCESSORIES



KIT SONAR

625,00€

P/N: 1695656935



KIT EXTERNAL DATA ARM "L" VERSION

485,00€

P/N: 1695656936



TYRE ELEVATOR

1.622,00€

P/N: 1695911177



SET OF LIGHT TRUCK CONES

431,00€

P/N: 1695654849



CENTERING CONE SET

487,00€

P/N: 1695655293



UNIVERSAL FLANGE WITH 3-, 4-, 5-HOLE RIMS INCL. CENTER RINGS

797,00€

P/N: 1695654043



QUICK BOLT KIT

449,00€

P/N: 1695612100



POLYAMID SPACER (DONUT)

34,00€

P/N: 1695654895



CENTERING SHAFT (Ø 14 MM)

368,00€

P/N: 1695604700



DUO EXPERT SYSTEM (3 COLLETS IN A CASE 54-78)

2.229,00€

P/N: 1695656698



DISTANCE RING WITH MAGNETS

253,00€

P/N: 1695655316



QUICK FIX FOR 19 MM SHAFT

165,00€

P/N: 1695655321



THREE ARM FLANGE FOR LIGHT TRUCKS

649,00€

P/N: 1695653420



QUICK FIX FOR 14 MM SHAFT

165,00€

P/N: 1695654117



DEMO KIT FOR PASSENGER CAR

3.076,00€

P/N: 1695656570



CENTERING SHAFT (Ø 10 MM)

365,00€

P/N: 1695653430



CONE SPACER

168,00€

P/N: 1695606200



LARGE DIAMETER CLAMPING HOOD

159,00€

P/N: 1695653888



PRINTER RACK

0,00€

P/N: 1695656409



AIRGO WHEEL LIFT

2.956,00€

P/N: 1695601012

FEATURES

INTERNAL LIGHT

Powerful LED
Light reduce
efforts and
mistakes
during weight
application
inside the rim



ALUDATA ARM

- 40 mm smaller than SBM V 660 A
- Make the data acquisition easy, especially with wide tyres and high ET



LASER LINE

Precise
indication of
adhesive
weight
positioning at
6 'o clock
increase the
productivity
reducing
mistakes and
time losses



**SONAR
(accessory)**

- Width measurement precise and fast without touching the rim
- Automatically spoke counting
- Everything in one device



ERGONOMY

New ergonomic design for the pedal brake: wide and robust



TECHNICAL DATA

Balancing speed (50 – 60 Hz)	208 U/min 50 Hz 250 U/min 60 Hz
Max. wheel weight	70 Kg
Max. wheel diameter	1200 mm
Max. wheel width	500 mm
Settable rim diameter	6" – 40"
Measurable rim diameter	10" – 27"
Settable rim width	1" – 24"
Measurable rim width	1" – 20"
Power input	0,7 kW
Max. dimensions (W x D x H)	1325 x 1365 x 1915 mm